



www.MathWorksheetsGo.com

On Twitter: twitter.com/engagingmath

On FaceBook: www.mathworksheetsgo.com/facebook

- I. Model Problems.
- II. Practice
- III. Challenge Problems
- IV. Answer Key

Web Resources

Relations & Functions : www.mathwarehouse.com/algebra/relation/

Domain and Range of a Function/relation:

www.mathwarehouse.com/algebra/relation/math-function.php

© www.MathWorksheetsGo.com All Rights Reserved
Commercial Use Prohibited

Terms of Use: By downloading this file you are agreeing to the Terms of Use Described at
<http://www.mathworksheetsgo.com/downloads/terms-of-use.php> .

Graph Paper Maker (free): www.mathworksheetsgo.com/paper/

Online Graphing Calculator(free): www.mathworksheetsgo.com/calculator/

Functions versus Relations

A function is a relation in which each element of the domain maps to exactly one element of the range.

I. Model Problems

In these examples we will determine if the relation is a function, identify the domain, and identify the range.

Example 1: $\{(-6, 7), (8, 14), (3, 2), (1, -4)\}$

Check the ordered pairs to determine if every x -value maps to exactly one y -value.

Domain is the x -values.

Range is the y -values

$$\{(-6, 7), (8, 14), (3, 2), (1, -4)\}$$

$$\{(-6, 7), (8, 14), (3, 2), (1, -4)\}$$

$$D = \{-6, 1, 3, 8\}$$

$$\{(-6, 7), (8, 14), (3, 2), (1, -4)\}$$

$$R = \{-4, 2, 7, 14\}$$

Answer: function, $D = \{-6, 1, 3, 8\}$, $R = \{-4, 2, 7, 14\}$

Example 2: $\{(4, -11), (3, 1), (0, 1), (2, 6), (3, -1)\}$

Check the ordered pairs to determine if every x -value maps to exactly one y -value.

$x = 3$ maps to both $y = 1$ and $y = -1$

Domain is the x -values.

Range is the y -values

$$\{(4, -11), (3, 1), (0, 1), (2, 6), (3, -1)\}$$

$$\{(4, -11), (3, 1), (0, 1), (2, 6), (3, -1)\}$$

$$\{(4, -11), (3, 1), (0, 1), (2, 6), (3, -1)\}$$

$$D = \{0, 2, 3, 4\}$$


$$\{(4, -11), (3, 1), (0, 1), (2, 6), (3, -1)\}$$

$$R = \{-11, -1, 1, 6\}$$

Answer: not a function, $D = \{0, 2, 3, 4\}$, $R = \{-11, -1, 1, 6\}$

Example 3: $y = 3x + 4$

Is there a value of x that maps to more than one y ? If needed, check with vertical line test. The vertical lines represent x -values. If the lines do not hit the graph more than once the relations are functions.



(scale of graph is one)

$$D = \{x | x \in \mathbb{R}\}$$

$$R = \{y | y \in \mathbb{R}\}$$

Domain is the x -values. The line continues in both directions.


Range is the y -values. The line continues in both directions.

Answer: not a function, $D = \{x | x \in \mathbb{R}\}$, $R = \{y | y \in \mathbb{R}\}$


II. Practice Problems

Determine if the relation is a function


1. $\{(3,4), (4, -6), (5, -7), (3, 2), (-2, 5)\}$
2. $\{(-4, 6), (-3, 2), (1, 0), (7, 6), (8, 2)\}$
3. $\{(-3, 4), (-2, 5), (0, 0), (-2, 5), (4, 8)\}$
- 4.




5.




6.




7.



8.



9.



10. $y = 2x - 4$

11. $x = y^2$

12. $x = \sqrt{y}$

13. $y = x^2$


Determine the Domain and Range of each relation.

14. $\{(-5,1), (-3,0), (-1,2), (0,3)\}$


15. $\left\{\left(-4, \frac{1}{2}\right), \left(-2, \frac{1}{4}\right), \left(0, \frac{1}{2}\right), \left(1, \frac{1}{4}\right)\right\}$

16. $\left(\frac{2}{3}, -1\right), \left(\frac{-3}{4}, 0\right), \left(\frac{-2}{3}, 1\right), \left(\frac{3}{5}, 0\right), \left(\frac{3}{4}, 1\right)$


17.



18.



19.




20. $y = x^2 - 3$

21. $y = |x - 4|$

III. Challenge Problems

1. Is the relation graphed below a function? Justify your answer.



2. Is a person's weight a function of their height? Why?

3. Is the height of a rocket a function of time? Why?

4. James says that since $y = |x|$ is a function, then $x = |y|$ is a function. Is he correct? Why?

IV. Answer Key

1. no, $x = 3$ maps to $y = 4$ and $y = 2$
2. yes
3. yes
4. yes
5. yes
6. no, $x = -5$ maps to $y = 2$ and $y = 10$
7. no, fails vertical line test
8. yes
9. no, fails vertical line test
10. yes
11. no, answers will vary. One possible: $x = 9$ maps to $y = 3$ and $y = -3$
12. yes
13. yes
14. $D = \{-5, -3, -1, 0\}, R = \{0, 1, 2, 3\}$
15. $D = \{-4, -2, 0, 1\}, R = \left\{\frac{1}{4}, \frac{1}{2}\right\}$
16. $D = \left\{-\frac{2}{3}, \frac{3}{5}, \frac{2}{3}, \frac{3}{4}\right\}, R = \{-1, 0, 1\}$
17. $D = \{-7, 1, 8\}, R = \{-11, 4, 6\}$
18. $D = \{x \in \mathbb{R}\}, R = \{y \in \mathbb{R}\}$
19. $D = \{x \in \mathbb{R} | x \geq 0\}, R = \{y \in \mathbb{R} | y \geq 0\}$
20. $D = \{x \in \mathbb{R}\}, R = \{y \in \mathbb{R} | y \geq -3\}$
21. $D = \{x \in \mathbb{R}\}, R = \{y \in \mathbb{R} | y \geq 0\}$

Challenge Problems

1. yes; vertical line test
2. no; people of the same height have different weights; a given height maps to more than one weight
3. yes; at any given time the rocket is at exactly one height; a give time maps to exactly one height
4. no, $y = |x|$ for any x there is exactly one absolute value for $x = |y|$ for a value of $x > 0$ there are two $|y|$; one example if $x = 2, y = 2$ or -2